



EazyPay Tech
Simplifying Payments

Android POS

Under Make in India Initiative

With

EMV POS Terminal Software



**TAILORED SOLUTIONS
FOR SECURE CHIP CARD
TRANSACTIONS**

Android POS



Android 12



NFC



Smart Card



Magstripe



Scanning



QR Code



Bluetooth



WiFi













4G

Payment Terminal

















EazyPay Tech's smart handheld POS terminal is a feature-rich mobile payment device designed for high performance and security. It ensures complete transaction safety with PCI and EMV certifications, supporting all payment types, including magnetic stripe, EMV chip & PIN, contactless/NFC, and QR codes. Powered by Android 12 and a Qualcomm quad-core 1.2 GHz processor, it delivers excellent performance for seamless operations. The device also offers on-the-go printing capabilities, supporting 1D/2D barcode and receipt printing, making it a versatile solution for businesses.



Software Features

 Multi-Payment Accept cards, UPI, wallets, EMV, NFC, and QR codes.	 User-Friendly Customizable, intuitive interface.	 Secure PCI DSS, encryption, and fraud detection.	 Reporting Real-time sales and transaction data.
 Offline Sync payments made offline.	 Global Multi-language and currency support.	 Integration Sync with business tools.	 Fast Checkout Tap-to-pay and QR scanning.
	 Android POS Optimized for smooth use.	 Transactions Manage sales, refunds, and more.	

Specification

 O.S. Android 12	 Memory RAM: 2GB ROM: 8GB RAM: 2GB ROM: 32GB (optional)	 Display 5.5" TFT-LCD HD, 1280x720	 Touch panel Ultra sensitive capacitive touch screen
 Battery 3.6V/ 5200mAh (Typ.)	 Magstripe Supports ISO7811/7812/7813, and supports triple track (tracks 1&2&3), bi-directional	 Chip Card Meet ISO7816 standard	 Contactless Card Supports 14443A&14443B, MifareCard,
 Buttons Home button, Menu button, Back button, The volume +/- button, Power button.	 Communication FDD-LTE, TDD-LTE, WCDMA GSM/EDGE/GPRS Bluetooth: BT 5.0	 Scanning Supports 1D/2D barcode scanning (Camera decoding)	 Dimensions 188mmx81mmx35mm (max 61mm) 457g(Battery included)
 GPS Wi-Fi: IEEE 802.11 a/b/g/n/ac 2.4GHz/5GHz GPS, Supports A-GPS, GLONASS, BD, Galileo	 Camera No front camera (0.3MP FF, 2MP FF, 5MP FF optional) Rear 2MP FF (5MP AF, optional)	 Environmental Operating Temperature: -10°C~50°C (14°F~122°F) Storage Temperature: -20°C~70°C (-4°F~158°F) Humidity: 5%RH ~ 95%RH (non condensing)	 Printing Media type: Receipt paper Media roll size:40mm Media width:58mm printing paper Resolution: 203dpi/8dot/mm Print speed: 50~70mm/s Supports 1D/2Dbar code printing

Smart Applications



Restaurant



Scenic Spot
Entrance



Convenience
Store



Parking Lot



Toll Station



Supermarket



Contact Us

INDIA

📍 : **EAZYPAY** TECHNOLOGIES
Glinster Payment Solutions and Services Pvt. Ltd.
Office No. 917, Suratwala Mark Plazzo,
Hinjewadi, Pune - 411057

☎ : +1 1 972 212 5447 | +91 81289 86364

✉ : info@eazypaytech.com

🌐 : www.eazypaytech.com

